



-MYCOPLASMA 4-H.PYLORI 5-HERPES VIRUS 6-MYOSIN 7-O-LDL 10-LUPUS PEPTIDE 11-ARTHRITIS PEPTIDE 12-IMMUNE COMPLEX 1-ORAL BACTERIA 2-CHLAMYDIA 3-MYCOPLASMA 4-H.PYLORI LEGEND: 9-HSP-60 8-B-2-GLYCOPROTEIN







1-ORAL BACTERIA 2-CHLAMYDIA 3-MYCOPLASMA 4-H.PYLORI 5-HERPES VIRUS 6-MYOSIN 7-O-LDL 8-B-2-GLYCOPROTEIN 9-HSP-60 10-LUPUS PEPTIDE 11-ARTHRITIS PEPTIDE 12-IMMUNE COMPLEX LEGEND:



Mean + SD of IgA antibody levels in 30 saliva samples from controls 🦳 , patients with cardiovascular disease 🎆, and autoimmune disease



____, patients with Mean \pm SD of IgA antibody levels in 30 saliva samples from controls cardiovascular disease M, and autoimmune disease



____, patients with Mean \pm SD of IgA antibody levels in 30 saliva samples from controls cardiovascular disease M, and autoimmune disease

FIG. 6

CORRELATION BETWEEN REACTIVITY OF ANTIBODY TO AUTOANTIGEN AND MEDICAL CONDITION

						 -						
	Medical	Condition			Optimal	Possible	Autoimmunity	Possible	Cardiovascular	and	Autoimmune	Disease
Reactivity of Saliva IgA Antibody Against:	Arthritic	Peptides Peptides Condition Antibody Antibody	•		ı	+		+				
	Lupus	Peptides Antibody	•	:	1	+		+				
	Immune	Complex			I	+		+				
	B-2	Glycoprotem- Complex 1 Antibody			1			+				
	Heat-	Shock Protein-	09	Antibody		1		+				
	Oxidized	TDT			•	ı		+				
Reactivity	Myosin	Antibody			ı	1		+				